


**DETAIL #3**



**NOTES:**

1. BACKFILLING WITH EXCAVATED MATERIAL SHALL NOT BE PERMITTED IN TRENCHES FOR STORM SEWER AND ALL OTHER UTILITIES.
2. REINFORCED CONCRETE PIPE IS REQUIRED WITHIN COUNTY R.O.W.
3. IN LIEU OF DENSE GRADED (DGA), RECYCLED CONCRETE AGGREGATE (RCA) IS ACCEPTABLE. ALL RCA MUST MEET NJDOT SPECIFICATIONS AND BE CERTIFIED BY AN NJDOT APPROVED PLANT OF ORIGIN. ALL RCA SHIPMENTS MUST BE FREE OF FOREIGN MATERIALS AND CONTAMINANTS.

Revisions		
NO.	DATE	BY
1	1/16/19	KP

*County of Middlesex  
Department of Infrastructure Management  
Office of Engineering/Planning/Public Works  
75 Bayard St., New Brunswick, NJ 08901*

**STORM SEWER TRENCH AND BEDDING DETAIL (PAVED AREA)**

*Ronald Sender* Date  
Licensed Professional Engineer  
License No. 24GE03162200

Designed By	Drawn By
RS	BJP
Checked By	Approved By
RS	RS

Scale: **NOT TO SCALE**  
Sheet No. 1 of 1  
Date: 4/25/17

*Ronald Sender*  
Acting County Engineer  
N.J. P.E. No. 24GE03162200